


Blackhawk[™]

BY **PROTO**

RATCHETING WRENCHES

Blackhawk BW-1438



LIMITED LIFETIME WARRANTY

The Stanley Works and Proto Industrial Tools (collectively referred to as "TSW/Proto") warrants any of its Proto® branded products for the useful life of the product against deficiency in material or workmanship.

Torque Wrenches, Multipliers and Testers are warranted for one year, except for calibration which is warranted for 90 days from date of purchase. Torque products can be repaired and recalibrated for a nominal charge at the Stanley-Proto Authorized repair center (2195 East View Parkway, Suite 103, Conyers, GA 30013). Defects in material or workmanship will be repaired or replaced at no cost, all other repairs will be at a nominal charge. Torque products are precise measuring devices that require care in handling. Stanley-Proto recommends that all micrometer wrenches be recalibrated once a year or more, depending on usage.

Disclaimers and limitations:

- Is subject to the disclaimers and limitations described below and is in lieu of all other warranties, express or implied, including the implied warranty of merchantability or fitness for a particular purpose.
- Gives you specific legal rights. You may also have other rights that vary by state.
- Does not extend to products that have been improperly used, altered, or repaired by any entity other than TSW/Proto.
- Does not extend to any claim for incidental, consequential, or special damages. Some states do not allow the exclusion of limitation of incidental or consequential damages, so this exclusion may not apply to you.
- TSW/Proto makes no representations beyond those contained in this Limited Lifetime Warranty.
- Agents of TSW/Proto have no authority to make representations of any sort beyond those contained in this Limited Lifetime Warranty.

Exclusive remedy and claim procedure:

- The exclusive remedy under this Limited Lifetime Warranty for products determined to be deficient in materials or workmanship by TSW/Proto is repair or replacement with a reconditioned tool of equal value by TSW/Proto.
- The selected remedy is at the sole discretion of TSW/Proto. In no event shall TSW/Proto be responsible for more than the original purchase price of the product.

Questions:

To ask questions about, or to make a claim under this Limited Lifetime Warranty, contact your Stanley-Proto Territory Manager or a Manufacturer's Representative.



RATCHETING WRENCHES.

The Blackhawk™ by Proto® line of ratcheting wrenches features a variety of sizes, lengths and head configurations to meet most job requirements, including:

- Fractional (inch), Metric, and Torx®
- Standard length handles for leverage and 'stubby' length handles for tight spaces
- Standard Ratcheting for high access or Reverse Ratcheting for quick fastener application / removal
- Fixed head Ratcheting for standard fastening applications or Flex-Head Ratcheting for positioning the head at different angles in tight spaces
- Standard combination open-end / box-end or double box-end (twin box-end) configurations
- Standard size ranges up to 3/4" or 19 mm or Jumbo size ranges up to 1-1/4" or 34 mm

Blackhawk™ by Proto® ratcheting wrenches help increase productivity by combining the convenient light weight and thin profile of a combination wrench with the ease of use of a ratchet and socket. The features include:

- A 'ratcheting' box end allowing for one-time fastener application / removal without removing and replacing the wrench with each turn. Same sized open-end.
- A thin box-head and slim shank as well as a short arc swing allowing the user to drive fasteners in confined spaces where a ratchet and socket cannot.
- Fine-toothed gears providing smooth yet powerful ratcheting.
- Ratcheting wrench-head angled for easy knuckle clearance.
- A full-polish finish which is comfortable to use and easy to clean.
- Meeting or exceeding ANSI standards.

All Blackhawk™ by Proto® ratcheting wrenches are designed to meet or exceed ANSI standards in automotive and light industrial applications, backed with a limited lifetime warranty. **Blackhawk™ by Proto®. Tools that work as hard as the people who use them.**

7 PIECE HIGH ACCESS RATCHETING WRENCH SET

• Weight: 3.00 lbs.



Item No.	Contents	Size
BW-1250	BW-1210	3/8"
	BW-1212	7/16"
	BW-1214	1/2"
	BW-1216	9/16"
	BW-1218	5/8"
	BW-1220	11/16"
	BW-1222	3/4"

7 PIECE HIGH ACCESS RATCHETING WRENCH SET – METRIC

• Weight: 3.00 lbs.



Item No.	Contents	Size
BW-1251	BW-1260	10 mm
	BW-1261	12 mm
	BW-1262	13 mm
	BW-1263	14 mm
	BW-1264	15 mm
	BW-1265	16 mm
	BW-1267	18 mm

HIGH ACCESS RATCHETING WRENCH



Item No.	Size	Length	Weight
BW-1210	3/8"	5.0"	0.12 lbs.
BW-1212	7/16"	5.6"	0.17 lbs.
BW-1214	1/2"	6.4"	0.21 lbs.
BW-1216	9/16"	7.0"	0.31 lbs.
BW-1218	5/8"	7.9"	0.36 lbs.
BW-1220	11/16"	8.7"	0.46 lbs.
BW-1222	3/4"	9.7"	0.57 lbs.

HIGH ACCESS RATCHETING WRENCH – METRIC



Item No.	Size	Length	Weight
BW-1258	8 mm	4.0"	0.09 lbs.
BW-1259	9 mm	4.5"	0.09 lbs.
BW-1260	10 mm	5.0"	0.13 lbs.
BW-12605	11 mm	5.7"	0.17 lbs.
BW-1261	12 mm	6.0"	0.19 lbs.
BW-1262	13 mm	6.4"	0.21 lbs.
BW-1263	14 mm	7.1"	0.30 lbs.
BW-1264	15 mm	7.5"	0.33 lbs.
BW-1265	16 mm	7.8"	0.37 lbs.
BW-1266	17 mm	8.9"	0.46 lbs.
BW-1267	18 mm	9.2"	0.49 lbs.
BW-1268	19 mm	9.75"	0.55 lbs.

HIGH ACCESS & REVERSIBLE RATCHETING

REVERSIBLE RATCHETING WRENCH

Ratcheting box end. Thin head / slim shank as well as a short arc swing. Fine-toothed gears for smooth ratcheting. Ratcheting wrench-head angled for easy knuckle clearance. One-finger reverse lever for quick-change ratcheting direction. Same-sized open-end. Full-polish. Meets or exceeds ANSI standards.

12 PIECE REVERSE GEAR RATCHETING WRENCH SET – METRIC

• Weight: 4.19 lbs.

Item No.	Contents	Size	Contents	Size
BW-1450	BW-1458	8 mm	BW-1464	14 mm
	BW-1459	9 mm	BW-1465	15 mm
	BW-1460	10 mm	BW-1466	16 mm
	BW-1461	11 mm	BW-1467	17 mm
	BW-1462	12 mm	BW-1468	18 mm
	BW-1463	13 mm	BW-1469	19 mm



8 PIECE REVERSE GEAR RATCHETING WRENCH SET

• Weight: 2.44 lbs.

Item No.	Contents	Size
BW-1400	BW-1410	5/16"
	BW-1412	3/8"
	BW-1414	7/16"
	BW-1416	1/2"
	BW-1418	9/16"
	BW-1420	5/8"
	BW-1422	11/16"
	BW-1424	3/4"



8 PIECE REVERSE GEAR RATCHETING WRENCH SET – METRIC

• Weight: 2.44 lbs.

Item No.	Contents	Size
BW-1408	BW-1458	8 mm
	BW-1460	10 mm
	BW-1462	12 mm
	BW-1463	13 mm
	BW-1464	14 mm
	BW-1465	15 mm
	BW-1467	17 mm
	BW-1468	18 mm



REVERSE RATCHETING BOX WRENCH

Item No.	Size	Length	Weight
BW-1403	7/32"	5.0"	0.13 lbs.
BW-1405	1/4"	5.0"	0.13 lbs.
BW-1410	5/16"	5.0"	0.13 lbs.
BW-1412	3/8"	5.25"	0.15 lbs.
BW-1414	7/16"	5.5"	0.16 lbs.
BW-1416	1/2"	5.75"	0.17 lbs.
BW-1418	9/16"	6.0"	0.19 lbs.
BW-1420	5/8"	6.25"	0.20 lbs.
BW-1422	11/16"	6.5"	0.22 lbs.
BW-1424	3/4"	6.75"	0.26 lbs.



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL

REVERSE RATCHETING BOX WRENCH – METRIC

Item No.	Size	Length	Weight
BW-1458	8 mm	5.50"	0.16 lbs.
BW-1459	9 mm	5.875"	0.18 lbs.
BW-1460	10 mm	6.25"	0.20 lbs.
BW-1461	11 mm	6.50"	0.22 lbs.
BW-1462	12 mm	6.75"	0.26 lbs.
BW-1463	13 mm	7.0"	0.30 lbs.
BW-1464	14 mm	7.50"	0.33 lbs.
BW-1465	15 mm	8.0"	0.43 lbs.
BW-1466	16 mm	8.25"	0.47 lbs.
BW-1467	17 mm	8.75"	0.49 lbs.
BW-1468	18 mm	9.375"	0.51 lbs.
BW-1469	19 mm	9.75"	0.55 lbs.



7 PIECE JUMBO REVERSE GEARED WRENCH SET

• Weight: 11.98 lbs.

Item No.	Contents	Size	Contents	Size
BW-1401	BW-1426	13/16"	BW-1434	1-1/16"
	BW-1428	7/8"	BW-1436	1-1/8"
	BW-1430	15/16"	BW-1438	1-1/4"
	BW-1432	1"		



7 PIECE JUMBO REVERSE GEARED WRENCH SET – METRIC

• Weight: 10.43 lbs.

Item No.	Contents	Size	Contents	Size
BW-1451	BW-1471	21 mm	BW-1480	30 mm
	BW-1472	22 mm	BW-1482	32 mm
	BW-1474	24 mm	BW-1484	34 mm
	BW-1477	27 mm		



JUMBO REVERSE GEARED WRENCH

Item No.	Size	Length	Weight
BW-1426	13/16"	11.4"	0.70 lbs.
BW-1428	7/8"	11.4"	0.83 lbs.
BW-1430	15/16"	12.7"	0.95 lbs.
BW-1432	1"	12.7"	1.15 lbs.
BW-1434	1-1/16"	14.1"	1.43 lbs.
BW-1436	1-1/8"	15.9"	1.68 lbs.
BW-1438	1-1/4"	16.7"	2.22 lbs.



JUMBO REVERSE GEARED WRENCH – METRIC

Item No.	Size	Length	Weight
BW-1471	21 mm	11.4"	0.70 lbs.
BW-1472	22 mm	11.4"	0.83 lbs.
BW-1474	24 mm	12.7"	0.95 lbs.
BW-1477	27 mm	14.1"	1.43 lbs.
BW-1480	30 mm	15.9"	1.95 lbs.
BW-1482	32 mm	16.7"	2.22 lbs.
BW-1484	34 mm	18.1"	2.48 lbs.



REVERSIBLE RATCHETING & STUBBY

STUBBY REVERSIBLE RATCHETING WRENCH

Ratcheting box end. Thin head / slim, short 'stubby' shank as well as a short arc swing. Fine-toothed gears for smooth ratcheting. Ratcheting wrench-head angled for easy knuckle clearance. One-finger reverse lever for quick-change ratcheting direction. Same-sized open-end. Full-polish. Meets or exceeds ANSI standards. Sets come in sturdy metal storage cases with molded wrench inserts and parts storage trays.

9 PIECE STUBBY REVERSIBLE RATCHETING WRENCH SET

• Weight: 2.20 lbs.

Item No.	Contents	Size	Contents	Size
BW-2250R	BW-2206R	1/4"	BW-2216R	9/16"
	BW-2208R	5/16"	BW-2218R	5/8"
	BW-2210R	3/8"	BW-2220R	11/16"
	BW-2212R	7/16"	BW-2222R	3/4"
	BW-2214R	1/2"		



13 PIECE STUBBY REVERSIBLE RATCHETING WRENCH SET – METRIC

• Weight: 3.43 lbs.

Item No.	Contents	Size	Contents	Size
BW-2251R	BW-2276R	6 mm	BW-2264R	14 mm
	BW-2278R	8 mm	BW-2265R	15 mm
	BW-2279R	9 mm	BW-2266R	16 mm
	BW-2260R	10 mm	BW-2267R	17 mm
	BW-2261R	11 mm	BW-2268R	18 mm
	BW-2262R	12 mm	BW-2269R	19 mm
	BW-2263R	13 mm		



STUBBY REVERSIBLE RATCHETING WRENCH

Item No.	Size	Length	Weight
BW-2206R	1/4"	3.1"	0.06 lbs.
BW-2208R	5/16"	3.5"	0.08 lbs.
BW-2210R	3/8"	3.8"	0.11 lbs.
BW-2212R	7/16"	4.0"	0.12 lbs.
BW-2214R	1/2"	4.4"	0.16 lbs.
BW-2216R	9/16"	4.5"	0.18 lbs.
BW-2218R	5/8"	4.8"	0.24 lbs.
BW-2220R	11/16"	5.0"	0.27 lbs.
BW-2222R	3/4"	5.3"	0.36 lbs.



STUBBY REVERSIBLE RATCHETING WRENCH – METRIC

Item No.	Size	Length	Weight
BW-2276R	6 mm	3.1"	0.06 lbs.
BW-2278R	8 mm	3.5"	0.08 lbs.
BW-2279R	9 mm	3.7"	0.09 lbs.
BW-2260R	10 mm	3.8"	0.10 lbs.
BW-2261R	11 mm	4.1"	0.14 lbs.
BW-2262R	12 mm	4.3"	0.15 lbs.
BW-2263R	13 mm	4.4"	0.18 lbs.
BW-2264R	14 mm	4.5"	0.21 lbs.
BW-2265R	15 mm	4.8"	0.24 lbs.
BW-2266R	16 mm	5.1"	0.33 lbs.
BW-2267R	17 mm	5.0"	0.38 lbs.
BW-2268R	18 mm	5.2"	0.41 lbs.
BW-2269R	19 mm	5.5"	0.47 lbs.



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL

LOCKING FLEX-HEAD GEARED WRENCH

Adjustable geared flex-head box end with locking gradations allows for locking the ratcheting head at the desired angle in tight spaces. Thumb pressure, push-button release locking mechanism. Thin head / slim shank as well as a short arc swing. Fine-toothed gears for smooth ratcheting. Same-sized open-end. Full-polish. Meets or exceeds ANSI standards. Sets come in sturdy metal storage cases with molded wrench inserts and parts storage trays.



8 PIECE LOCKING FLEX-HEAD GEAR WRENCH SET

• Weight: 4.35 lbs.

Item No.	Contents	Size	Contents	Size
BW-3251L	BW-3209L	5/16"	BW-3216L	9/16"
	BW-3210L	3/8"	BW-3218L	5/8"
	BW-3212L	7/16"	BW-3220L	11/16"
	BW-3214L	1/2"	BW-3222L	3/4"

12 PIECE LOCKING FLEX GEARED BOX WRENCH SET – METRIC

• Weight: 5.34 lbs.

Item No.	Contents	Size	Contents	Size
BW-3250L	BW-3258L	8 mm	BW-3263L	14 mm
	BW-3259L	9 mm	BW-3264L	15 mm
	BW-3260L	10 mm	BW-3265L	16 mm
	BW-3260AL	11 mm	BW-3266L	17 mm
	BW-3261L	12 mm	BW-3267L	18 mm
	BW-3262L	13 mm	BW-3268L	19 mm

LOCKING FLEX-HEAD GEARED WRENCHES

Item No.	Size	Length	Weight
BW-3209L	5/16"	5.0"	0.16 lbs.
BW-3210L	3/8"	5.4"	0.17 lbs.
BW-3212L	7/16"	5.6"	0.19 lbs.
BW-3214L	1/2"	6.1"	0.20 lbs.
BW-3216L	9/16"	6.3"	0.29 lbs.
BW-3218L	5/8"	7.0"	0.33 lbs.
BW-3220L	11/16"	7.5"	0.46 lbs.
BW-3222L	3/4"	8.5"	0.57 lbs.

LOCKING FLEX-HEAD GEARED WRENCHES – METRIC

Item No.	Size	Length	Weight
BW-3258L	8 mm	5.0"	0.13 lbs.
BW-3259L	9 mm	5.2"	0.16 lbs.
BW-3260L	10 mm	5.4"	0.16 lbs.
BW-3260AL	11 mm	5.6"	0.17 lbs.
BW-3261L	12 mm	5.8"	0.19 lbs.
BW-3262L	13 mm	6.1"	0.19 lbs.
BW-3263L	14 mm	6.3"	0.21 lbs.
BW-3264L	15 mm	6.7"	0.25 lbs.
BW-3265L	16 mm	7.0"	0.30 lbs.
BW-3266L	17 mm	7.3"	0.33 lbs.
BW-3267L	18 mm	8.0"	0.36 lbs.
BW-3268L	19 mm	8.5"	0.45 lbs.

STUBBY & LOCKING FLEX-HEAD

REVERSIBLE RATCHETING DOUBLE BOX WRENCH

Twin ratcheting box ends. Thin head / slim shank as well as a short arc swing. Fine-toothed gears for smooth ratcheting. Ratcheting wrench-head angled for easy knuckle clearance on both ends. One-finger reverse lever for quick-change ratcheting direction. Full-polish. Meets or exceeds ANSI. Sets come in sturdy metal storage case with molded wrench inserts and parts storage trays.

4 PIECE REVERSE GEARED DOUBLE BOX WRENCH SET

• Weight: 3.49 lbs.

Item No.	Contents	Size
BW-3330R	BW-0516R	5/16" X 3/8"
	BW-0716R	7/16" X 1/2"
	BW-0916R	9/16" X 5/8"
	BW-1116R	11/16" X 3/4"



6 PIECE REVERSE GEARED DOUBLE BOX WRENCH SET – METRIC

• Weight: 4.02 lbs.

Item No.	Contents	Size
BW-3332R	BW-0809R	8 X 9 mm
	BW-1011R	10 X 11 mm
	BW-1213R	12 X 13 mm
	BW-1415R	14 X 15 mm
	BW-1618R	16 X 18 mm
	BW-1719R	17 X 19 mm



REVERSE GEARED DOUBLE BOX WRENCH

Item No.	Size	Length	Weight
BW-0516R	5/16" X 3/8"	5.0"	0.12 lbs.
BW-0716R	7/16" X 1/2"	6.7"	0.26 lbs.
BW-0916R	9/16" X 5/8"	7.5"	0.33 lbs.
BW-1116R	11/16" X 3/4"	9.1"	0.49 lbs.



REVERSE GEARED DOUBLE BOX WRENCH – METRIC

Item No.	Size	Length	Weight
BW-0809R	8 X 9 mm	5.0"	0.12 lbs.
BW-1011R	10 X 11 mm	5.9"	0.19 lbs.
BW-1213R	12 X 13 mm	6.7"	0.26 lbs.
BW-1415R	14 X 15 mm	7.5"	0.33 lbs.
BW-1618R	16 X 18 mm	8.3"	0.40 lbs.
BW-1719R	17 X 19 mm	9.1"	0.49 lbs.



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL

DOUBLE-OFF E-TORX® RATCHETING WRENCHES

Twin ratcheting box ends. Thin head / slim shank as well as a short arc swing. Fine-toothed gears for smooth ratcheting. Full-polish. Meets or exceeds ANSI standards. Sets come in sturdy metal storage cases with molded wrench inserts and parts storage trays.



4 PIECE STANDARD DOUBLE-OFF E-TORX® RATCHETING WRENCH SET

• Weight: 3.53 lbs.

Item No.	Contents	Size
BW-1300T	BW-0608T	E6 X E8
	BW-1012T	E10 X E12
	BW-1418T	E14 X E18
	BW-2024T	E20 X E24



STANDARD DOUBLE-OFF E-TORX® RATCHETING WRENCH

Item No.	Size	Length	Weight
BW-0608T	E6 X E8	5.0"	0.12 lbs.
BW-1012T	E10 X E12	5.9"	0.19 lbs.
BW-1418T	E14 X E18	7.5"	0.33 lbs.
BW-2024T	E20 X E24	9.1"	0.49 lbs.

RATCHET AND SOCKET SET

Short arc swing with fine-toothed gears for smooth ratcheting. Slim head profile design coupled with a tight gearing system to use in small space. Quick-disk on drive head for easy fastener removal.



8 PIECE RATCHET AND SOCKET SET

• Weight: 0.26 lbs.

Item No.	Contents	Size	Length
BW-0308RBS	Ratcheting Box End Handle	1/4" & 5/16"	5"
	Phillips®	#1	1/4" Shank
	Phillips®	#2	1/4" Shank
	Phillips®	#3	1/4" Shank
	Slotted	5/32"	1/4" Shank
	Slotted	3/16"	1/4" Shank
	Slotted	7/32"	1/4" Shank

INDEX

Item No.	Description	Page	Item No.	Description	Page
BW-0308RBS	8 Piece Ratchet and Socket Set	8	BW-1465	Reverse Ratcheting Box Wrench – Metric, 15 mm	3, 4
BW-0516R	Reverse Geared Double Box Wrench, 5/16" X 3/8"	7	BW-1466	Reverse Ratcheting Box Wrench – Metric, 16 mm	3, 4
BW-0608T	Standard Double-off E-Torx® Ratcheting Geared Wrench, E6 X E8	8	BW-1467	Reverse Ratcheting Box Wrench – Metric, 17 mm	3, 4
BW-0716R	Reverse Geared Double Box Wrench, 7/16" X 1/2"	7	BW-1468	Reverse Ratcheting Box Wrench – Metric, 18 mm	3, 4
BW-0809R	Reverse Geared Double Box Wrench – Metric, 8 X 9 mm	7	BW-1469	Reverse Ratcheting Box Wrench – Metric, 19 mm	3, 4
BW-0916R	Reverse Geared Double Box Wrench, 9/16" X 5/8"	7	BW-1471	Jumbo Reverse Geared Wrench – Metric, 21 mm	4
BW-1011R	Reverse Geared Double Box Wrench – Metric, 10 X 11 mm	7	BW-1472	Jumbo Reverse Geared Wrench – Metric, 22 mm	4
BW-1012T	Standard Double-off E-Torx® Ratcheting Geared Wrench, E10 X E12	8	BW-1474	Jumbo Reverse Geared Wrench – Metric, 24 mm	4
BW-1116R	Reverse Geared Double Box Wrench, 11/16" X 3/4"	7	BW-1477	Jumbo Reverse Geared Wrench – Metric, 27 mm	4
BW-1210	High Access Ratcheting Wrench, 3/8"	2	BW-1480	Jumbo Reverse Geared Wrench – Metric, 30 mm	4
BW-1212	High Access Ratcheting Wrench, 7/16"	2	BW-1482	Jumbo Reverse Geared Wrench – Metric, 32 mm	4
BW-1213R	Reverse Geared Double Box Wrench – Metric, 12 X 13 mm	7	BW-1484	Jumbo Reverse Geared Wrench – Metric, 34 mm	4
BW-1214	High Access Ratcheting Wrench, 1/2"	2	BW-1618R	Reverse Geared Double Box Wrench – Metric, 16 X 18 mm	7
BW-1216	High Access Ratcheting Wrench, 9/16"	2	BW-1719R	Reverse Geared Double Box Wrench – Metric, 17 X 19 mm	7
BW-1218	High Access Ratcheting Wrench, 5/8"	2	BW-2024T	Standard Double-off E-Torx® Ratcheting Geared Wrench, E20 X E24	8
BW-1220	High Access Ratcheting Wrench, 11/16"	2	BW-2206R	Stubby Reversible Ratcheting Wrench, 1/4"	5
BW-1222	High Access Ratcheting Wrench, 3/4"	2	BW-2208R	Stubby Reversible Ratcheting Wrench, 5/16"	5
BW-1250	7 Piece High Access Ratcheting Wrench Set	2	BW-2210R	Stubby Reversible Ratcheting Wrench, 3/8"	5
BW-1251	7 Piece High Access Ratcheting Wrench Set – Metric	2	BW-2212R	Stubby Reversible Ratcheting Wrench, 7/16"	5
BW-1258	High Access Ratcheting Wrench – Metric, 8 mm	2	BW-2214R	Stubby Reversible Ratcheting Wrench, 1/2"	5
BW-1259	High Access Ratcheting Wrench – Metric, 9 mm	2	BW-2216R	Stubby Reversible Ratcheting Wrench, 9/16"	5
BW-1260	High Access Ratcheting Wrench – Metric, 10 mm	2	BW-2218R	Stubby Reversible Ratcheting Wrench, 5/8"	5
BW-12605	High Access Ratcheting Wrench – Metric, 11 mm	2	BW-2220R	Stubby Reversible Ratcheting Wrench, 11/16"	5
BW-1261	High Access Ratcheting Wrench – Metric, 12 mm	2	BW-2222R	Stubby Reversible Ratcheting Wrench, 3/4"	5
BW-1262	High Access Ratcheting Wrench – Metric, 13 mm	2	BW-2250R	9 Piece Stubby Reversible Ratcheting Wrench Set	5
BW-1263	High Access Ratcheting Wrench – Metric, 14 mm	2	BW-2251R	13 Piece Stubby Reversible Ratcheting Wrench Set – Metric	5
BW-1264	High Access Ratcheting Wrench – Metric, 15 mm	2	BW-2260R	Stubby Reversible Ratcheting Wrench – Metric, 10 mm	5
BW-1265	High Access Ratcheting Wrench – Metric, 16 mm	2	BW-2261R	Stubby Reversible Ratcheting Wrench – Metric, 11 mm	5
BW-1266	High Access Ratcheting Wrench – Metric, 17 mm	2	BW-2262R	Stubby Reversible Ratcheting Wrench – Metric, 12 mm	5
BW-1267	High Access Ratcheting Wrench – Metric, 18 mm	2	BW-2263R	Stubby Reversible Ratcheting Wrench – Metric, 13 mm	5
BW-1268	High Access Ratcheting Wrench – Metric, 19 mm	2	BW-2264R	Stubby Reversible Ratcheting Wrench – Metric, 14 mm	5
BW-1300T	4 Piece Standard Double-off E-Torx® Ratcheting Geared Wrench Set	8	BW-2265R	Stubby Reversible Ratcheting Wrench – Metric, 15 mm	5
BW-1400	8 Piece Reverse Gear Ratcheting Wrench Set	3	BW-2266R	Stubby Reversible Ratcheting Wrench – Metric, 16 mm	5
BW-1401	7 Piece Jumbo Reverse Geared Wrench Set	4	BW-2267R	Stubby Reversible Ratcheting Wrench – Metric, 17 mm	5
BW-1403	Reverse Ratcheting Box Wrench, 7/32"	3	BW-2268R	Stubby Reversible Ratcheting Wrench – Metric, 18 mm	5
BW-1405	Reverse Ratcheting Box Wrench, 1/4"	3	BW-2269R	Stubby Reversible Ratcheting Wrench – Metric, 19 mm	5
BW-1408	8 Piece Reverse Gear Ratcheting Wrench Set – Metric	3	BW-2276R	Stubby Reversible Ratcheting Wrench – Metric, 6 mm	5
BW-1410	Reverse Ratcheting Box Wrench, 5/16"	3	BW-2278R	Stubby Reversible Ratcheting Wrench – Metric, 8 mm	5
BW-1412	Reverse Ratcheting Box Wrench, 3/8"	3	BW-2279R	Stubby Reversible Ratcheting Wrench – Metric, 9 mm	5
BW-1414	Reverse Ratcheting Box Wrench, 7/16"	3	BW-3209L	Locking Flex-Head Geared Wrenches, 5/16"	6
BW-1415R	Reverse Geared Double Box Wrench – Metric, 14 X 15 mm	7	BW-3210L	Locking Flex-Head Geared Wrenches, 3/8"	6
BW-1416	Reverse Ratcheting Box Wrench, 1/2"	3	BW-3212L	Locking Flex-Head Geared Wrenches, 7/16"	6
BW-1418	Reverse Ratcheting Box Wrench, 9/16"	3	BW-3214L	Locking Flex-Head Geared Wrenches, 1/2"	6
BW-1418T	Standard Double-off E-Torx® Ratcheting Geared Wrench, E14 X E18	8	BW-3216L	Locking Flex-Head Geared Wrenches, 9/16"	6
BW-1420	Reverse Ratcheting Box Wrench, 5/8"	3	BW-3218L	Locking Flex-Head Geared Wrenches, 5/8"	6
BW-1422	Reverse Ratcheting Box Wrench, 11/16"	3	BW-3220L	Locking Flex-Head Geared Wrenches, 11/16"	6
BW-1424	Reverse Ratcheting Box Wrench, 3/4"	3	BW-3222L	Locking Flex-Head Geared Wrenches, 3/4"	6
BW-1426	Jumbo Reverse Geared Wrench, 13/16"	4	BW-3250L	12 Piece Locking Flex Geared Box Wrench Set – Metric	6
BW-1428	Jumbo Reverse Geared Wrench, 7/8"	4	BW-3251L	8 Piece Locking Flex-Head Gear Wrench Set	6
BW-1430	Jumbo Reverse Geared Wrench, 15/16"	4	BW-3258L	Locking Flex-Head Geared Wrenches – Metric, 8 mm	6
BW-1432	Jumbo Reverse Geared Wrench, 1"	4	BW-3259L	Locking Flex-Head Geared Wrenches – Metric, 9 mm	6
BW-1434	Jumbo Reverse Geared Wrench, 1-1/16"	4	BW-3260AL	Locking Flex-Head Geared Wrenches – Metric, 11 mm	6
BW-1436	Jumbo Reverse Geared Wrench, 1-1/8"	4	BW-3260L	Locking Flex-Head Geared Wrenches – Metric, 10 mm	6
BW-1438	Jumbo Reverse Geared Wrench, 1-1/4"	4	BW-3261L	Locking Flex-Head Geared Wrenches – Metric, 12 mm	6
BW-1450	12 Piece Reverse Gear Ratcheting Wrench Set – Metric	3	BW-3262L	Locking Flex-Head Geared Wrenches – Metric, 13 mm	6
BW-1451	7 Piece Jumbo Reverse Geared Wrench Set – Metric	4	BW-3263L	Locking Flex-Head Geared Wrenches – Metric, 14 mm	6
BW-1458	Reverse Ratcheting Box Wrench – Metric, 8 mm	3, 4	BW-3264L	Locking Flex-Head Geared Wrenches – Metric, 15 mm	6
BW-1459	Reverse Ratcheting Box Wrench – Metric, 9 mm	3, 4	BW-3265L	Locking Flex-Head Geared Wrenches – Metric, 16 mm	6
BW-1460	Reverse Ratcheting Box Wrench – Metric, 10 mm	3, 4	BW-3266L	Locking Flex-Head Geared Wrenches – Metric, 17 mm	6
BW-1461	Reverse Ratcheting Box Wrench – Metric, 11 mm	3, 4	BW-3267L	Locking Flex-Head Geared Wrenches – Metric, 18 mm	6
BW-1462	Reverse Ratcheting Box Wrench – Metric, 12 mm	3, 4	BW-3268L	Locking Flex-Head Geared Wrenches – Metric, 19 mm	6
BW-1463	Reverse Ratcheting Box Wrench – Metric, 13 mm	3, 4	BW-3330R	4 Piece Reverse Geared Double Box Wrench Set	7
BW-1464	Reverse Ratcheting Box Wrench – Metric, 14 mm	3, 4	BW-3332R	6 Piece Reverse Geared Double Box Wrench Set – Metric	7



WARNING: WORK SAFELY WITH TOOLS WEAR SAFETY GOGGLES.

Toll Free Customer Service Number: 1-800-800-TOOL

Blackhawk
BY PROTO

©2005 The Stanley Works
2195 East View Parkway, Suite 103, Conyers, GA 30013
1-800-800-TOOL www.stanleyproto.com